

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	107	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:47
S2	47	S1 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S3	18	S1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 17:34
S4	11	S3 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:48
S5	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S6	0	S5 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S7	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S8	1	S7 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S9	0	proxy with web with server with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S10	2	S7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44

S11	1	S7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:50
S12	816	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:50
S13	0	S7 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:51
S14	2	S7 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:51
S15	2	S7 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:12
S16	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:13
S17	40	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:13
S18	22	S17 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:26
S19	36	((("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6665725") or ("6775706") or ("6829697") or ("6909713"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 14:28
S20	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S21	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28

S22	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S23	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S24	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:19
S25	64	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:51
S26	7	S25.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:19
S27	1	S25.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:26
S28	760	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:51
S29	11657	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:52
S30	107	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S31	0	S28 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S32	10	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S33	299	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:42

S34	187	S33 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:44
S35	37	S33.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S36	29	S35 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S37	2026	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:43
S38	131	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:43
S39	71	S38 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:18
S40	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:50
S41	2	"6857004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:50
S42	61	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:48
S43	5	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:49
S44	5	S43 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:52
S45	636	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:51

S46	33	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:56
S47	15	S46 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:57
S48	687	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S49	42	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:57
S50	27	S49 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S51	82	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S52	91	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S53	63	S52 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S54	140	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S55	56	S54 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S56	25	S54.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S57	14	S56 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S58	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S59	0	S58 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S60	2	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S61	1	S60 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S62	0	proxy with web with server with S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S63	2	S60 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S64	1	S60 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S65	947	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S66	0	S60 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S67	2	S60 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S68	2	S60 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S69	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S70	45	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S71	23	S70 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S72	36	(("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6665725") or ("6775706") or ("6829697") or ("6909713")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/27 17:11
S73	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S74	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S75	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S76	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S77	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S78	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S79	10	S78.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S80	1	S78.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S81	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S82	852	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S83	13294	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S84	140	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S85	0	S82 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S86	14	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S87	319	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S88	38	S87.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S89	29	S88 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S90	190	S87 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S91	2215	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S92	147	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S93	73	S92 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S94	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S95	2	"6857004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S96	64	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S97	6	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S98	5	S97 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S99	690	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S100	40	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S101	18	S100 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S102	725	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S103	47	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S104	27	S103 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S105	97	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S106	106	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S107	66	S106 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S108	141	acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:40
S109	0	withhold\$4 with acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S110	5	withhold\$4 with acknowledg\$7 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S111	2	withhold\$4 with acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S112	0	S111 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S113	3	S110 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S114	5	withhold\$4 with acknowledg\$7 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:43
S115	4	S114 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:43
S116	4	"6754703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 09:40

S117	2	"6122664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:10
S118	14987	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S119	177	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S120	16	S118 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S121	388	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S122	40	S121.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S123	28	S122 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S124	28	S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S125	194	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S126	77	S125 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S127	77	S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S128	14987	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54

S129	177	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S130	16	S128 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S131	16	S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S132	388	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S133	193	S132 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S134	193	S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54

8/19/08 12:33:24 PM

C:\Documents and Settings\awang2\My Documents\EAST\Workspaces\10661096.wsp